L Number	Hits	Search Text	DB	Time stamp
-	3114	(711/103, 111, 112, 152, 153, 154, 163, 164, 173).Co	CUSPACES.	2002/03/13 15:07
		(,	US-PGPUB;	
1			EPO; JPO;	
			IBM TDB	
	84	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:13
	04	AND (access\$3 NEAR3 control\$5).TI.	US-PGPUB;	2002/03/12 19.13
		AND (accesses NEARS Controles).11.	EPO; JPO;	
		//711 /100 111 110 150 150 154 160 164 170)	IBM_TDB	0000/02/10 10 12
_	234	((711/103,111,112,152,153,154,163,164,173).	CUBSAICLS.)	2002/03/12 19:13
		AND (access\$3 NEAR3 control\$5).AB.	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	193	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:14
		AND (protect\$3 OR safe OR reserv\$3).TI.	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	280	((711/103,111,112,152,153,154,163,164,173).	CORPĀTCLS.)	2002/03/12 19:14
		AND (protect\$3 OR safe OR reserv\$3).AB.	US-PGPUB;	
		·•	EPO; JPO;	
			IBM TDB	
_	38	((711/103,111,112,152,153,154,163,164,173).		2002/03/12 19:15
	""	AND (authenticat\$3 OR password).AB.	US-PGPUB;	2002,00,12 13.13
		laterionereacys on password, AD.	EPO; JPO;	
			IBM TDB	
	1	 ///711/102 111 110 150 150 154 160 164 170\	OSESTICLS.)	2002/03/12 20:52
-	1	(((711/103,111,112,152,153,154,163,164,173)		2002/03/12 20:52
ļ		AND (access\$3 NEAR3 control\$5).TI.) AND	US-PGPUB;	
		(((711/103,111,112,152,153,154,163,164,173)	. ECPDS, DCDS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM_TDB	, , _ ,
-	0	(((711/103,111,112,152,153,154,163,164,173)	OSBATICLS.)	2002/03/12 20:52
	ĺ	AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	
		(((711/103,111,112,152,153,154,163,164,173)	CCDS, DCDS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM_TDB	
1		ANd	_	
		(((711/103,111,112,152,153,154,163,164,173)	CCLS, ICLS.)	
-	28	AND71avtbent1cat\$2,0B2pa53w65d)1AB,164,173)	OSBATICLS.)	2002/03/12 21:12
		AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	
		(((711/103,111,112,152,153,154,163,164,173)	CODS, DODS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
-	1961	(711/152,153,154,163,164,173).CCLS,ICLS.	USPĀT;	2002/03/12 20:54
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	4	(((711/103,111,112,152,153,154,163,164,173)	_	2002/03/12 21:12
1]	AND (access\$3 NEAR3 control\$5).AB.) AND	US-PGPUB;	
1	1	(((711/103,111,112,152,153,154,163,164,173)	EEDS, DEDS.)	
		AND (protect\$3 OR safe OR reserv\$3).TI.)	IBM TDB	
	1	AND (non-volatile OR nonvolatile OR ("not"	100	
	į	ADJ1 "volatile"))		
1	۱ ،	· · ·	HCDAM	2002/03/12 21:14
1	3 9	5974500.URPN.	USPAT	
1	,	("5065364" "5126808" "5197034"	USPAT	2002/03/12 21:16
1	1	"5293424" "5297148" "5438546"		
		"5513136" "5592641" "5974500").PN.		0000/00/10 01 01
-	30	("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:30
		"4811293" "4811294" "4931997"		
		"4961172" "5014191" "5034922"	İ	
		"5046046" "5065364" "5175840"		
		"5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505"		
		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.		
-	17	5513136.URPN.	USPAT	2002/03/12 21:30

(A.P. -5/17/02)

				T
-	0	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:32
		"4811293" "4811294" "4931997"		
	~	"4961172" "5014191" "5034922" "5046046" "5065364" "5175840"		
		"5046046" "5065364" "5175840" "5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505"		
		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "53333300" "5369647").PN.) OR		
		5513136.URPN.) AND (authenticat\$3 OR		
		password).AB. AND (protect\$4 OR safe OR		
		reserv\$3).AB. AND (read\$3 AND writ\$3 AND		
		eras\$3)		
-	10	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:36
		"4811293" "4811294" "4931997" "40611739" "5014101" "5024022"		
		"4961172" "5014191" "5034922" "5046046" "5065364" "5175840"	1	
		3046046		
		5197034	İ	
		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.) OR		1
		5513136.URPN.) AND (protect\$4 OR safe OR		
		reserv\$3).AB.		
-	1	5845332.PN.	USPAT	2002/03/12 21:35
-	0	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:37
ŀ		"4811293" "4811294" "4931997"		
		"4961172" "5014191" "5034922"		
	1	"5046046" "5065364" "5175840"		
	"	"5197034" "5216633" "5222046" "5224070" "5233559" "5239505"		
		"5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
		"5327383" "5333300" "5369647").PN.) OR	•	
		5513136.URPN.) AND (authenticat\$3 OR		
		password).AB.		
-	1	((("4228528" "4358833" "4538245"	USPAT	2002/03/12 21:37
		"4811293" "4811294" "4931997"		
		"4961172" "5014191" "5034922"		
		"5046046" "5065364" "5175840"		
•		"5197034" "5216633" "5222046"		
		"5224070" "5233559" "5239505" "5245572" "5249158" "5278786"		
		"5280449" "5287310" "5293344"		
		"5293610" "5325499" "5327380"		
1	1	"5327383" "53333300" "5369647").PN.) OR	1	
		5513136.URPN.) AND (authenticat\$3 OR		
		password)		
-	1	1995-278212.NRAN.	DERWENT	2002/03/13 14:47
-	1	1994JP-0290397.AP,PRAI.	USPAT;	2002/03/13 13:20
			US-PGPUB;	
			JPO;	
		1000 000000	DERWENT	
-	1	1993JP-0299034.AP, PRAI.	USPAT;	2002/03/13 13:20
			US-PGPUB;	
			JPO; DERWENT	
_	2	5974513.PN.	USPAT;	2002/03/13 14:47
		O):3010.1U.	US-PGPUB;	2002/03/13 14:4/
			EPO;	
			DERWENT	
-	1	5974513.URPN.	USPAT	2002/03/13 14:48
-	4	("3971916" "4882474" "5436621"	USPAT	2002/03/13 14:48
		"5519270").PN.	•	
-	3114	(711/103,111,112,152,153,154,163,164,173).C	Cuspatis.	2002/03/13 15:07
1			US-PGPUB;	
1	(
			EPO; JPO; IBM TDB	

-	45658	,	USPAT;	2002/03/13 15:14
		restrict\$3 OR forbid\$4 OR secure OR	US-PGPUB;	
		prohibit\$4 OR prevent\$3) WITH (access\$3 OR	EPO; JPO;	
1		read\$3 OR writ\$3 OR stor\$3 OR eras\$3))	DERWENT;	
1	207117	mamany CAME (namtition\$2 OR coston OR	IBM_TDB	2002/02/12 15:15
-	287117	memory SAME (partition\$3 OR sector OR	USPAT;	2002/03/13 15:15
	İ	pages OR blocks OR areas)	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
_	1039	((711/103,111,112,152,153,154,163,164,173).	IBM_TDB	2002/03/13 15:15
1	1039	AND (memory SAME ((protect\$4 OR safe OR	1	2002/03/13 15:15
		restrict\$3 OR forbid\$4 OR secure OR	US-PGPUB;	
		prohibit\$4 OR prevent\$3) WITH (access\$3 OR	EPO; JPO;	
Ĭ		read\$3 OR writ\$3 OR stor\$3 OR eras\$3)))	DERWENT; IBM TDB	
_	659		USPAT;	2002/03/13 15:16
} _	033	(/11/105,104).CCL5,1CL5.		2002/03/13 15:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	218	(711/163,164).CCLS,ICLS. AND ((protect\$4	USPAT;	2002/03/13 15:31
	210	OR safe OR restrict\$3 OR forbid\$4 OR		2002/03/13 15:31
	1	secure OR prohibit\$4 OR prevent\$3) WITH	US-PGPUB; EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR		<u> </u>
		eras\$3)).AB.	DERWENT;	
_	202		USPAT;	2002/03/13 15:19
	1	OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	2002/03/13 13:19
	1	secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
1		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	1011_100	
1		forbid\$4 OR secure OR prohibit\$4 OR		
Ì		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas)))		
1_	174	1 ' ' '	USPAT;	2002/03/13 16:44
	1 1/3	OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	2002/03/13 16:44
		secure OR prohibit\$4 OR prevent\$3) WITH		
	1	(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	EPO; JPO; DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
1		((protect\$4 OR safe OR restrict\$3 OR	100-100	
İ		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas)))		
_	11		USPAT;	2002/03/13 15:30
		((unprotect\$4 OR normal OR unrestrict\$3 OR	US-PGPUB;	
	1	unsecure OR unprohibit\$4 OR ("not" ADJ1	EPO; JPO;	
	1	prevent\$3)) WITH (access\$3 OR read\$3 OR	DERWENT;	
	1	writ\$3 OR stor\$3 OR eras\$3)).AB.	IBM TDB	
-	4		USPAT;	2002/03/13 15:45
		OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	. =-: 3
		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
1		((protect\$4 OR safe OR restrict\$3 OR	_	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
1		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas)))) AND (711/173).CXR.		
j -	18	((711/163,164).CCLS. AND (711/173).CXR.)	USPAT;	2002/03/13 15:46
		OR ((711/173).CCLS. AND	US-PGPUB;	
1		(711/163,164).CXR.)	EPO; JPO;	
			DERWENT;	ļ
			IBM TDB	

		•		
-	1	((711/163,164).CCLS,ICLS. AND ((protect\$4 OR safe OR restrict\$3 OR forbid\$4 OR	USPAT; US-PGPUB;	2002/03/13 16:48
	1	secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR	100	
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) AND (memory		
1		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (dynamic\$4 SAME		
		re\$1siz\$3)		
_	1	((711/163,164).CCLS,ICLS. AND ((protect\$4	USPAT;	2002/03/13 16:48
	•	OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	
		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	[
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM_TDB	
		((protect\$4 OR safe OR restrict\$3 OR		İ
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
	ĺ	writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
	j	SAME (partition\$3 OR sector OR pages OR		
	98	blocks OR areas))) AND (re\$1siz\$4) ((711/163,164).CCLS,ICLS. AND ((protect\$4	USPAT;	2002/03/13 16:49
-	96	OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	2002/03/13 10.49
		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	1
		eras\$3)).AB.) AND ((memory SAME	IBM TDB	
		((protect\$4 OR safe OR restrict\$3 OR		
		forbid\$4 OR secure OR prohibit\$4 OR		
		prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
		SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (size OR sizing)		
-	5	((711/163,164).CCLS,ICLS. AND ((protect\$4	USPAT;	2002/03/13 16:49
		OR safe OR restrict\$3 OR forbid\$4 OR	US-PGPUB;	
		secure OR prohibit\$4 OR prevent\$3) WITH	EPO; JPO;	
		(access\$3 OR read\$3 OR writ\$3 OR stor\$3 OR	DERWENT;	
		eras\$3)).AB.) AND ((memory SAME	IBM_TDB	
		((protect\$4 OR safe OR restrict\$3 OR		
		forbid\$4 OR secure OR prohibit\$4 OR prevent\$3) WITH (access\$3 OR read\$3 OR		
		writ\$3 OR stor\$3 OR eras\$3))) OR (memory		
	1	SAME (partition\$3 OR sector OR pages OR		
		blocks OR areas))) AND (size OR		1
		sizing).AB.		
L	L			1